

Thursday 25 May 2023 – Morning

GCSE (9–1) Physics B (Twenty First Century Science)

J259/01 Breadth in physics (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Equation Sheet for GCSE (9–1) Physics B (inside this document)

You can use:

- · a scientific or graphical calculator
- an HB pencil



Please write clearly in black ink. Do not write in the barcodes.									
Centre number	_					Candidate number			
First name(s)									
Last name									 ,

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- · Answer all the questions.
- Where appropriate, your answers should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION


- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- This document has 32 pages.

ADVICE

· Read each question carefully before you start your answer.



1 The diagram shows a hydroelectric power station.



(a) What is the useful energy store of the water in the reservoir?

Tick (✓)	one	box.
----------	-----	------

Chemical	
Electrical	
Gravitational Potential	
Thermal	

[1]

(b) Many of the main energy resources use a turbine attached to a generator.


Complete the table to state what drives the turbine for each energy resource.

Tick (✓) one box in each row.

	What drives the turbine			
	Water	Wind	Steam	
Energy resource				
Gas power				
Nuclear power				
Tidal power				

[3]

(c) A Sankey diagram of the energy transferred in the hydroelectric power station during one hour is shown.



Calculate the total energy wasted every hour.

	Wasted energy = MJ [1]
(ii)	Suggest how to reduce the unwanted energy transfer due to friction as the turbine rotates.
	[1]

(d) Calculate the power output of the hydroelectric power station.

Use:

- the equation: power = $\frac{\text{energy transferred}}{}$
- the data in the Sankey diagram
- the information: 1 hour = 3600 seconds.

Turn over © OCR 2023

•	Tla : -		: _	-14	-14	. 4: -	
2	I NIS	question	IS	about	electromagne	etic	radiation.

(a) Complete the sentence about the human eye.

Put a ring around the correct option.

The human eye can detect a wide / varied / narrow range of frequencies of electromagnetic radiation.

[1]

(b) Complete the description of light. Use words from the list.

charge dete	ctor energy	source
-------------	-------------	--------

When light is emitted by a, it transfers and the eye absorbs it.

[1]

(c) Every object emits electromagnetic radiation with different frequencies. Some examples are given in the table.

Object	Typical frequency of radiation emitted (THz)
Red hot barbecue	
	461
The Earth	
	29
The Sun	
	600

(i) Put the frequencies in order of **energy**, from lowest to highest.

Lowest energy	
↓	
Highest energy	


[1]

	(ii)	What happer	ns to the wavelength emitted from an object as its temperature increase	s?
		Tick (✓) one	box.	
		The wavelen	ngth decreases.	
		The wavelen	ngth increases.	
		The wavelen	ngth stays the same.	[1]
(d)	Ear	th emits infrar	red radiation with a typical wavelength of $10\mu m$ (10 micrometers).	
	(i)	State the nur	mber of micrometres in 1 metre.	
			1 m = μn	า [1]
	(ii)	How many ti	imes larger is 1 mm than 10 μm?	
		Tick (✓) one	box.	
		10		
		100		
		1000		
		1000000		F47
				[1]

A st	uder	nt wants to construct a circuit that turns a lamp on when it gets dark.	
A ci	rcuit	can be a series or a parallel circuit.	
(a)	Wh	ich statement is correct?	
	Ticl	⟨⟨✓⟩ one box.	
	Cur	rent splits at branches in a parallel circuit.	
	Pot	ential difference across each component in a branch is the same.	
	Pot	ential difference is shared between all the branches of a parallel circuit.	[1]
(b)	The	e student builds the circuit in Fig. 3.1 using a cell, a lamp, a fixed resistor and an LDR.	
	Fig	. 3.1	
	(i)	Which circuit symbol in Fig. 3.1 represents the fixed resistor?	
		Put a ring around the correct option in Fig. 3.1.	[1]
	(ii)	The resistance of the LDR increases in the dark. What happens to the current in this circuit in the dark? Tick (✓) one box. The current decreases	
		The current increases	
		The current stays the same	[1]

(c) The student builds a second circuit as shown in Fig. 3.2.

Fig. 3.2



Which **two** statements together explain why the overall resistance between points \boldsymbol{X} and \boldsymbol{Y} is less than 2Ω ?


Tick (✓) two boxes.

More charge can pass than for either component alone.	
The lamp only allows current to flow in one direction.	
The potential difference across the lamp decreases.	
There are two paths for the current to flow.	
	[2

(d) Finally, the student builds the circuit shown in Fig. 3.3.

The lamp lights up in darkness and does not shine in daylight.

Fig. 3.3



Complete the sentences to explain why the lamp lights in darkness.

Use words from the list.



In darkness, the resistance of the LDR increases, and this means that the

..... across the LDR also increases.

The lamp has the same as the LDR, so the lamp is able to light.

[2]

(e) The energy transferred by the lamp is 3.2 J when the potential difference is 4.0 V.

Calculate the charge flowing through the lamp.

Use the equation: charge = $\frac{\text{energy transferred}}{\text{potential difference}}$ State the **unit**.

Charge = Unit = [3]

9

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

- 4 Light interacts with different materials.
 - (a) The images show clear plastic and black plastic shirt buttons.







(i)	Why do the clear buttons look clear when light is shone at them?	
(ii)	Why do the black buttons look black when light is shone at them?	[1
(,		

(b) Fig. 4.1 shows the path of some rays of light passing through two different types of glass lens.

Fig. 4.1





State **one** similarity and **one** difference between these two glass lenses.


Similarity

Difference

[2]


(c) White light is shone at a glass prism, as shown in Fig. 4.2.

Fig. 4.2



Describe what happens to the light as it travels from the air, through the glass prism and back into the air.
[2]

(d) A student investigates the relationship between the angle of incidence and angle of refraction for a ray of light passing through a glass block.




This is the student's method:

- Put a glass block on some paper.
- Shine the light from a raybox into the glass block.
- Mark the path of the rays on the paper with a pen.
- Remove the glass block and the raybox.
- Sketch a line to show the path of the ray inside the glass block.
- Estimate the angle of incidence and angle of refraction.
- Repeat the experiment for one other angle of incidence.

[3 ¹

5 Sound travels through metal and air.



Passengers at a train station notice that they can hear a rumble in the metal rails for nearly a minute before they hear the sound of the train coming.

(a)	The speed of the sou	nd wave in the	metal rails is	3300 m/s.
-----	----------------------	----------------	----------------	-----------

Write down the distance the sound wave travels through the metal rails in 1 second.

Distance =		m	[1
------------	--	---	----

(b) The frequency of the sound wave in the metal rails is 110 Hz.

Calculate the wavelength of the sound wave in the metal rails.

Use the equation: wave speed = frequency × wavelength

Wavelength = m [3]

(c) The sound wave in the metal rails causes a sound wave in the air.

The speed of the sound wave in air is 10 times less than the speed of the sound wave in the metal rails. The frequency of the sound wave stays the same.

(i) Calculate the speed of the sound wave in the air.

Speed = m/s [1]

(ii) Complete the sentence about the wavelength of the sound wave in the air.

Put a (ring) around the correct option.

The sound wave in the air has a longer / a shorter / the same wavelength compared to the sound wave in the metal rails.

[1]

			14
6	A rug	gby	ball is kicked with an upwards velocity of 20 m/s. The ball has a mass of 0.6 kg.
	(a)	(i)	Calculate the kinetic energy of the ball just after it has been kicked.
			Use the Equation Sheet.
			Kinetic energy =
		(ii)	Convert 20 m/s into km/h.
			1 km = 1000 m 1 hour = 3600 seconds


20 m/s = km/h [2]

(b)	(i)	As the ball moves upwards through the air, some work is done to increase the thermal store of the surroundings.
		State the name of the force doing this work.
		[1]
	(ii)	State one other energy transfer as the ball moves upwards through the air.
		[1]
	(iii)	Calculate the work done by a force of 3.5 N when the ball moves a distance of 5.2 m through the air in the direction of the force.
		Give your answer to 2 significant figures.
		Use the equation: work done = force × distance
		Work done = J [3]
(c)		ball's velocity decreases as it goes upwards. It reaches a maximum height and then its city increases as it falls downwards.
	Stat	e the velocity of the ball at the moment it reaches its maximum height.
		Velocity = m/s [1]

7 (a) A mountaineer has an empty plastic bottle at the top of a mountain. The lid is off. The arrows on Fig. 7.1 show the air pressure acting on the inside of the bottle.

Draw three arrows on Fig. 7.1 to show the air pressure acting on the outside of the bottle.

Fig. 7.1



[2]

(b) The mountaineer puts the lid on the bottle and climbs down the mountain.

At the bottom of the mountain, the bottle has a crushed shape, as shown in Fig. 7.2.

Fig. 7.2



(i)	Suggest why the bottle has a crushed shape at the bottom of the mountain.	
		[2
(ii)	Explain why air pressure varies with height above the surface of the Earth.	
		[2

(c) A helium balloon is released and rises to the ceiling.



The balloon has a final speed of 2 m/s just before it reaches the ceiling. Initial speed = 0 m/s

Acceleration = $0.5 \,\mathrm{m/s^2}$

(i) Select one equation from the Equation Sheet which can be used to find the distance the balloon travels, using the variables given.

.....[1]

(ii) How can you calculate the distance the balloon travels?

Put a (ring) around the correct calculation.

distance = $2^2 - 0^2 - (2 \times 0.5)$ distance = $\frac{(2 \times 0.5)}{(2 - 0)}$

distance = $\frac{2^2 - 0^2}{(2 \times 0.5)}$ distance = $\frac{(2 \times 0.5)}{2^2 - 0^2}$

[1]

8

	19	
(a)	Complete the sentences about radioactive substances.	
	Put a ring around each correct option.	
	Atoms in radioactive substances have balanced / stable / unstable nuclei. This mean	S
	that they will absorb / emit / reflect particles or electromagnetic radiation.	[2]
(b)	The nuclear equation shows the radioactive decay of a sulfur nucleus to a chlorine nucleu	S.
	$^{35}_{16}S \rightarrow ^{35}_{17}Cl + ^{0}_{-1}e^{-}$	
	Identify the radioactive decay in the nuclear equation.	
	Tick (✓) one box.	
	Alpha decay	
	Beta decay	
	Gamma decay	[41]
		[1]
(c)	Which statement explains why sulfur and chlorine are different elements?	
	Tick (✓) one box.	
	They have different numbers of electrons.	
	They have different numbers of neutrons.	
	They have different numbers of protons.	[1]
		111

(a) A group of students were asked to suggest questions that science cannot answer.


Nina Is there life on other planets?	Jack Was there ever liquid water on the moon?
Dev Is there a god outside of time and space?	Mei Should we mine asteroids for metals and minerals?
(i) Which two students are asking questions that scientific evid	dence can answer?
	[1]
(ii) Which student is asking an ethical question?	[1]
(ii) Which student is asking an ethical question?Evidence for the Big Bang is a topic that sparks religious and ph scientific discussion.	
Evidence for the Big Bang is a topic that sparks religious and ph	ilosophical debate as well as
Evidence for the Big Bang is a topic that sparks religious and ph scientific discussion.	ilosophical debate as well as
Evidence for the Big Bang is a topic that sparks religious and ph scientific discussion.One source of evidence for the Big Bang comes from the red ships	ilosophical debate as well as
Evidence for the Big Bang is a topic that sparks religious and ph scientific discussion. One source of evidence for the Big Bang comes from the red shift What causes red shift?	ilosophical debate as well as
 Evidence for the Big Bang is a topic that sparks religious and ph scientific discussion. One source of evidence for the Big Bang comes from the red shi What causes red shift? Tick (✓) one box. 	ilosophical debate as well as
	Dev Is there a god outside of time and space? (i) Which two students are asking questions that scientific evidence in the scient

21 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

(c) The table and the graph show some of the data that first supported the 'Big Bang' theory.

Distance to the galaxy (million light years)	Velocity of the galaxy (× 1000 km/s)
78	1.2
1000	15
1400	22
2500	39
3950	61



(i) Plot the results from the table on the graph. 3 points have already been plotted.

Include on your graph a line of best fit.

[2]

(ii)	What is the relationship between distance and velocity shown by the graph?	
	Tick (✓) one box.	
	Directly proportional	
	Inversely proportional	
	No correlation	
	Non-linear	[1]
(iii)	Identify two features of the graph that show this relationship.	
	1	
	2	
(iv)	Describe the 'Big Bang' model.	[2]
		. [2]


10 The picture shows a child on a slide. The child's hair is standing on end due to static electricity.



(a)	Suggest what has happened to cause the child's hair to stand on end.		
<i>(</i> 1.)		[4]	
(b)	Complete the sentence to explain static electricity.		
	Put a ring around the correct option.		
	Static electricity is the sharing / storing / transfer of electrons between insulators.	[1]	


(c) The diagram shows a positively charged balloon, hanging freely from a string.

There is an electric field around the balloon, as shown by the arrows.



(i)	Explain what the direction and spacing of the arrows mean about the electric field.		
	Direction of arrows		
	Charles of arrange		
	Spacing of arrows		
		[2	
, .		•	
(ii)	A second balloon is brought close to this balloon and the two balloons repel one another.		
	State the type of charge on the second balloon.		
		. [1]	

11 A student sets up a ripple tank, as shown in the diagram. The dipper dips up and down and sends circular water waves outwards.



(a) Which row gives the correct definitions of wavelength and frequency?

Tick (✓) one box.


Wavelength	Frequency	
The distance a wave travels in 1 second.	The number of waves in 1 second.	
The distance a wave travels in 1 second.	The time it takes for 1 wave to pass.	
The distance from peak to peak.	The number of waves in 1 second.	
The distance from peak to peak.	The time it takes for 1 wave to pass.	

[1]

(b)	(i)	The student takes a photograph of the wave pattern.
		State one piece of equipment which needs to be included in the photograph to find the wavelength of the water waves.
		[1]
	(ii)	The student then uses a smart phone to record a video of the movement of the water waves for a few seconds.
		Describe how the student could use a video to find the frequency of the water waves.
		[2]
	(iii)	How can the student now calculate the speed of the water waves?
		[1]

12 Fig. 12.1 shows a trolley at the top of a ramp.

Fig. 12.1



(a) The trolley is released and accelerates down the ramp. When the trolley passes through the light gate, the instantaneous speed of the trolley is displayed.

Describe how the acceleration of the trolley down the ramp can be calculated using one light gate and a stopclock.


Acceleration -	time taken		
Accoloration :	_ change in speed		

(b) A block of wood is placed on the ramp. It exerts a force of 3.2 N on the ramp, perpendicular to the surface of the ramp. This is shown as a vector on **Fig. 12.2**.

Draw **one** vector on **Fig. 12.2** to show the force the ramp exerts on the block of wood, to complete the interaction pair.

Use a ruler.


Fig. 12.2



© OCR 2023 Turn over

[1]

13 This question is about an inflatable boat.



Define density.	
	[1]

- (b) The boat is inflated in the morning and then left out in the sun. The temperature of the air inside the boat rises to 50 °C.
 - The volume and mass of the air inside the inflated boat are constant.
 - The table contains data about the average speed of air molecules at different temperatures and pressures.

Temperature (°C)	Average speed of air molecules (m/s)	Pressure (Pa)
20	508	115 000
40	525	122 000
60	542	129 000

Explain why the boat feels firmer after being left out in the Sun.

Use the data in the table. You do not need to do any calculations.

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).				



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

 ${\sf OCR} \ is \ part \ of \ Cambridge \ University \ Press \ \& \ Assessment, \ which \ is \ itself \ a \ department \ of \ the \ University \ of \ Cambridge.$